New Jersey Division of HIV/AIDS Services Persons Living with HIV/AIDS as of December 31, 2005 Cumberland County Residents

		Adult/Adolescent *	Pediatric *		Total
1.		Cases %	Cases %		ses %
	AIDS-Any OI AIDS-CD4 Only HIV Only	76 16 181 39 206 44	0 0 5 10)) :	76 16 181 39 211 45
	Total	463 100	5 10		468 100
2.	Current Age * Cases %	3. Race/Eth.			Total Cases %
	<pre><5 0 0 5-12 5 1 13-19 8 2 20-29 28 6 30-39 124 26 40-49 198 42 50+ 105 22 Unk. 0 0 Total 468 100</pre>	White, Not Hispar Black, Not Hispar Hispanic Other/Unknown Total	nic 83 18 nic # #	0 0 # # # # 0 0	83 18 201 43 180 38 # # 468 100
4.	Patient Group	Males		es %	Total %
	Men sex with men (MSM) Injection drug user (IDU) MSM/IDU Heterosexual contact*** Risk not reported/other****	65 107 11 86 21	22 37 5 4 30 10 7	1 61 3 8	65 14 159 35 11 2 187 41 34 7
	Total		L00 16	5 100	456 100

	Males	Pediatrio %	Modified Females	Exposure %	Categories Total	%
Parent at risk/has AIDS/HIV Risk not reported/other***	# #	 # #	# #	 # #	9 #	75 #
Total	 7	100	 5	 100	12	100

NOTE: Includes only those persons known to be infected with HIV.

- # Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.
- * Classification based on current age at the end of December 2005.
- ** 7 patients are currently of adult/adolescent age (13+ years old), but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2, and 3, and as pediatric reports in table 4.
- $\ensuremath{^{***}}$ Included in this category are persons with no other risk identified
 - who had heterosexual contact with partner(s) whose HIV infection risk is undocumented/unknown.
- **** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services AIDS Cases Reported as of December 31, 2005 Cumberland County Residents

Total

				Adult/Adol	.escent*	Pedi	atric*	To	otal
1.	Disease Ca	itegory	Ca	ses (%)	Deaths (%)	Cases (%)	Deaths (%)	Cases (%)	Deaths (%)
	PCP Other OI w KS Alone No Disease			# (#) # (#) 7 (1) # (#)	# (#) # (#) 6 (86) # (#)	# (#) # (#) 0 (0) # (#)	# (#) # (#) O (.) # (#)	137 (24) 111 (20) 7 (1) 308 (55)	88 (64) 87 (79) 6 (86) 125 (41)
	Total			555 (100)	301 (55)	8 (100)	5 (63)	563 (100)	306 (55)
2.	Age *	Cases	90	3. Race/	Eth.	Adult/Adl* Cases %	Pediatric* Cases %	Total Cases %	
	Under 5	5	1	White	e, Not Hispanic	115 21	0 0	115 20	_
	5-12	#	#	Black	, Not Hispanic	247 45	5 63	252 45	
	13-19	5	1	Hispa	ınic	# #	# #	194 34	
	20-29	76	13	Other	:/Unknown	# #	# #	# #	
	30-39	242	43						=

555 100

8 100

563 100

	_	
4.	Patient.	Group

40-49

Over 49 Unknown Total

. Patient Group	Adult/Adolescent Modified Exposure Categories **							
	Males	용	Females %	Total	용			
Men sex with men (MSM)	87	22	0 0	87	16			
Injection drug user (IDU)	188	48	62 38	250	45			
MSM/IDU	18	5	0 0	18	3			
Heterosexual contact***	76	19	87 54	163	29			
Risk not reported/other***	23	6	13 8	36	6			
Total	392	100	162 100	554	100			

		Pediatri	c Modified	Exposure	Categories	
	Males	용	Females	용	Total	%
Parent at risk/has AIDS/HIV	#	#	#	#	7	78
Risk not reported/other***	#	#	#	#	#	#
Total	#	#	#	#	9	100

- # indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.
- Classification at time of AIDS diagnosis.

169 30

63 11 # #

563 100

- ** 1 patients were diagnosed with AIDS as adults, but have evidence either of having been HIV-infected or of having acquired AIDS as children. They are counted as adult/adolescent reports in tables 1,2, and 3; and as pediatric reports in table 4.
- *** Included in this category are persons with no other risk identified
 - who had heterosexual contact with partner(s) whose HIV infection risk is undocumented/unknown.
- **** Included in this category are persons with transmission categories of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services AIDS Cases Reported as of December 31, 2005 Cumberland County Residents

5. AIDS Cases by Year of Diagnosis.

Year of Diagnosis	Number of Cases	Number of Deaths	Case-Fatality Rate
Before 1985	#	#	#
1985	#	#	#
1986	6	6	100%
1987	5	5	100%
1988	7	7	100%
1989	12	11	92%
1990	16	16	100%
1991	33	32	97%
1992	37	30	81%
1993	50	40	80%
1994	35	23	66%
1995	49	34	69%
1996	55	28	51%
1997	19	6	32%
1998	33	13	39%
1999	33	13	39%
2000	40	8	20%
2001	23	11	48%
2002	26	6	23%
2003	23	5	22%
2004	30	#	#
2005	25	#	#
Total	563	306	54%

New Jersey Division of HIV/AIDS Services HIV INFECTION-not-AIDS Reports with Identifiers Reported as of December 31, 2005 Cumberland County Residents

				Adult/A	*lbA	Pediat	ric*	Total	
1. Age *	Cases	%	Race/Ethnicity	Cases	%	Cases	용	Cases	%
Under 5	#	#	White, Not Hispanic	43	18	0	0	43	18
5-12	#	#	Black, Not Hispanic	95	41	5	63	100	41
13-19	6	2	Hispanic	#	#	#	#	96	40
20-29	77	32	Other/Unknown	#	#	#	#	#	#
30-39	65	27							
40-49	70	29	Total	234	100	8	100	242	100
Over 49	16	7							
Unknown	0	0							
Total	242	100							

. Patient Group	Αc	lult/Ado	lescent Modified Expo	sure Categor	ries *
. racreme Group	Males	%	Females %	Total	8
Men sex with men (MSM)	32	22	0 0	32	14
Injection drug user (IDU)	52	36	22 25	74	32
MSM/IDU	8	6	0 0	8	3
Heterosexual contact***	36	25	60 67	96	41
Risk not reported/other***	17	12	7 8	24	10
Total	145	100	89 100	234	100
		Pedi	atric Modified Exposu	re Categorie	es
	Males	%	Females %	Total	%
Parent at risk/has AIDS/HIV	#	#	# #	7	88
Risk not reported/other***	#	#	# #	#	#
Total	#	#	# #		100

- * Classification at time of first HIV+ test.
- # indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.
- ** 0 patients were diagnosed with HIV as adults, but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1 and 2; and as pediatric reports in table 3.
- *** Included in this category are persons with no other risk identified who had heterosexual contact with partner(s) whose HIV infection risk is undocumented/unknown.
- **** Included in this category are persons with transmission categories of coagulation disorder and transfusion with blood/blood products.

NOTE: These tables include those reports of HIV Positive infection that have not yet been updated to AIDS status. Not included in these tables are cases initially reported as HIV-not-AIDS that have subsequently been updated to AIDS. Also not included in these tables are HIV Perinatal Exposure Reports where the serostatus of the child is not confirmed HIV Positive; i.e., the HIV serostatus of the child is undetermined or has been found to be negative (seroreverted).

New Jersey Division of HIV/AIDS Services HIV/AIDS Cases Reported as of December 31, 2005 Cumberland County Residents

	Adult/Ado	olescent *	Pediat	ric *	Total		
1. Current HIV/AIDS Category	Cases	%	Cases	%	Cases	%	
AIDS-Any OI	266	34	8	50	274	34	
AIDS-CD4 Only	289	37	0	0	289	36	
HIV Only	234	30	8	50	242	30	
Total	789	100	16	100	805	100	

				Adult/A	Adl*	Pediat	ric*	To	tal
2. Age *	Cases	%	3. Race/Eth.	Cases	%	Cases	%	Cases	용
Under	5 10	1	White, Not Hispanic	158	20	0	0	158	20
5-12	6	1	Black, Not Hispanic	342	43	10	63	352	44
13-19	14	2	Hispanic	284	36	6	38	290	36
20-29	184	23	Other/Unknown	5	1	0	0	5	1
30-39	300	37							
40-49	226	28	Total	789	100	16	100	805	100
Over 4	9 65	8							
Unknow	n 0	0							
Total	805	100							

4.	Patient Group	Adult/Adolescent Modified Exposure Categories *						
		Males	%	Females	쓩	Total	%	
	Men sex with men (MSM)	119	22	0	0	119	15	
	Injection drug user (IDU)	240	45	84	33	324	41	
	MSM/IDU	26	5	0	0	26	3	
	Heterosexual contact***	112	21	147	59	259	33	
	Risk not reported/other***	40	7	20	8	60	8	
	m + 3		1.00		1.00		1.00	
	Total	537	100	251	100	788	100	

		Pediatric	Modified	Exposure	Categories	
Ma	ales	%	Females	%	Total	%
Parent at risk/has AIDS/HIV	9	90	5	71	14	82
Risk not reported/other***	#	#	#	#	#	#
Total	10	100	7	100	17	100

NOTE: Includes only those persons known to be infected with HIV.

- # Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.
- Classification at time of first HIV+/AIDS diagnosis.
- ** 1 patients were diagnosed with HIV/AIDS as adults, but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1.2 and 3; and as pediatric reports in table 4.
- reports in tables 1,2 and 3; and as pediatric reports in table 4.

 *** Included in this category are persons with no other risk identified
- who had heterosexual contact with partner(s) whose HIV infection risk is undocumented/unknown.
- **** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services HIV/AIDS Cases Reported as of December 31, 2005 Cumberland County Residents

5. HIV/AIDS Cases by Year of First HIV/AIDS Diagnosis.

Year of First HIV/AIDS Diagnosis		Number Known Dead	Case-Fatality Rate	
Before 1985	5	5	100%	
1985	6	#	#	
1986	8	8	100%	
1987	11	11	100%	
1988	11	11	100%	
1989	22	18	82%	
1990	27	25	93%	
1991	52	38	73%	
1992	89	41	46%	
1993	67	35	52%	
1994	60	33	55%	
1995	69	28	41%	
1996	59	23	39%	
1997	36	7	19%	
1998	42	11	26%	
1999	38	8	21%	
2000	44	8	18%	
2001	37	11	30%	
2002	32	#	#	
2003	31	#	#	
2004	31	#	#	
2005	28	#	#	
Total	805	337	42%	